

This unaffiliated laboratory testing was done on the lowest setting using only ActivePure® Technology.

#### THE TECHNOLOGY

The ActivePure® Surface & Air Guardian combines multiple complementary technologies, including HEPA, activated carbon, and ActivePure Technology. Patented ActivePure is an advanced air and surface purification technology. It has been proven to reduce up to 99.9% of many common airborne and surface contaminants (list of tested pathogens can be found in "The Proof" section below).

ActivePure Technology does not replace the need to follow public health guidelines and should be used as complementary technology.

### THE PROOF

In extensive unaffiliated lab testing, ActivePure® Technology has been proven to significantly reduce the following contaminants and pathogens:

- SARS-CoV-2
- Staphylococcus aureus
- Aspergillus niger endospores
- H1N1 Influenza
- H5N8 Influenza
- MRSA
- Bacillus globigii
- MS2 Bacteriophage
- Staphylococcus epidermidis
- PhiX-174
- Erwinia herbicola

- Listeria monocytogenes
- Murine Norovirus
- E. coli
- Candida auris
- Botrytis cinerea
- Sclerotinia sclerotiorum
- Legionella pneumophila
- Aspergillus versicolor
- Clostridium difficile
- Salmonella enterica

# THE BENEFITS

The ActivePure Surface & Air Guardian provides 24/7 air purification and surface decontamination without the use of ozone. It is a proactive and effective solution for your home or business.

- Portable, lightweight device
- No installation plug-and-play solution
- Easy to use and low maintenance
- Proven effective against many common viruses, bacteria, molds, and fungi
- Reduces smoke, allergens, odors, and VOC gases without the use of ozone
- Multiple carbon brushes aid in the capture of contaminants

Devices with ActivePure® Technology have been proven to reduce up to

99.9%

of many common types of bacteria, viruses, and mold spores, including the virus which causes COVID-19<sup>1</sup>



<sup>1</sup>View test results at ACTIVEPURE.COM/SCIENTIFIC-PROOF



SURFACE & AIR GUARDIAN

	00763 Model: A1040F (ozone-free)	
Product Information	Meets California Ozone Emissions Limit. Carb Certified. Validated to UL 2998	
Technology Included	ActivePure® Technology - (2) 6" cells	179
	HEPA Filter Screen	
	Activated Carbon Filter	
	Carbon Brushes	
Electrical	Input Voltage: 100 ~ 240 VAC; 50/60 Hz	
	External Power Supply; DC 24 Volts; 1.5 Amps Max.	
	Power Consumption: 43 Watts Max.	
Mechanical	Nominal Airflow Rate: 40-60 CFM Adjustable Fan Speed	
Safety	Conforms to UL 867	
Weight & Dimensions	7.6 lbs (3.5 kg)	
	11.75" H x 9.5" W x 10" D (29.8 cm x 24.1 cm x 25.4 cm)	
Operating Temperature	34°F - 100°F (1°C - 38°C)	
Sound Level	45 dB(A) (on low); 55 dB(A) (on high)	
Recommended Maximum	Up to 2,000 sq. ft. (185 m²) depending on occupant density and other factors.	
Coverage in a Contiguous	High density commercial not to exceed 500 sq. ft. (46 m²).	

# Warranty

Space1

# Limited 3 year warranty

Recommended ceiling height to not exceed 10 feet. Solutions should be customized based upon a variety of factors
including HVAC system capabilities, HVAC settings, air flows (taking into account walls, air pressure, and doors), ambient air
temperature, humidity, variable density, known VOC concentrations, and other layers of protection.

For coverage in medical or health care environments, contact <a href="Medical@activepure.com">Medical@activepure.com</a>.

# Let us show you more!



ActivePure Technology is available in HVAC, Induct units and portable, plug-and-play units.

